

"PB" SERIES SINGLE CELL PLATFORMS



IP65

CE **M** 3000e

Small and medium capacity electronic platforms with a stainless steel surface having a precise and sturdy structure.


- Up to 3000d resolution.
- OIML R60 C3.
- IP65 protection.

TECHNICAL FEATURES

- Functioning with a "single point" 350 Ohm aluminium load cell, approved according to OIML R60 C3 standards (3000 divisions), IP65 protection degree.
- Steel tubular structure, oven-fire painted blue, with adjustable resting feet and level.
- Fitted with stainless steel loading surface.
- Up to 15 Vdc power supply.
- 3m shielded cable for connection to the indicator.
- Upon request:
 - 3000e CE-M approval;
 - support column for indicator.

SUPPORT BRACKETS AND COLUMNS









- Example of use with bracket, attached column or floor column.







Available versions

Code	l x w x h (mm)	Max (kg)	d (g)	M (g)*
PBT6	300x300x130	6	2	2
PBT15	300x300x130	15	5	5
PBT30	300x300x130	30	10	10
PBQ30	400x400x140	30	10	10
PBQ60	400x400x140	60	20	20
PBQ150	400x400x140	150	50	50
PBX60	600x600x150	60	20	20
PBX150	600x600x150	150	50	50
PBX300	600x600x150	300	100	100
PBE300	800x800x165	300	100	100
PBE600	800x800x165	600	200	200

Attached columns

	Code	Description
	<u>TCB350</u>	Stainless steel column h=350mm with painted steel fixings. Fitted with bracket for DFW, DFWL, DFWLI, 3590E, CPWET, TRI, DGT20 and DGTPK series weight indicators. NOTE: on the TS platforms it's possible to mount only DFWL, DFWLI, TRI, DGT20 and DGTPK.
	<u>TCB500</u>	Stainless steel column h=500mm with painted steel fixings. Fitted with bracket for DFW, DFWL, DFWLI, 3590E, CPWET, TRI, DGT20, DGTPK series weight indicators (not compatible with TS platforms).
	<u>TCB700</u>	Stainless steel column h=700mm with painted steel fixings. Fitted with bracket for DFW, DFWL, DFWLI, 3590E, CPWET, TRI, DGT20, DGTPK series weight indicators (not compatible with TS platforms).
	<u>PBSTF</u>	Stainless steel fixing bracket for mounting the DFWL indicator.
	<u>PBISTF</u>	Stainless steel fixing bracket for mounting the DFWLI indicator.
	<u>PBCL350</u>	Chromed steel column, h=350mm. Fitted with fixing bracket for DFWL, DFWLI, DFWLKI series Dini Argeo indicators and AFW series Scale House indicators.
	<u>PBCL500</u>	Chromed steel column, h=500mm. Fitted with fixing bracket for DFWL, DFWLI, DFWLKI series Dini Argeo indicators and AFWseries Scale House indicators.
	<u>PBCL700</u>	Chromed steel column, h=700mm. Fitted with fixing bracket for DFWL, DFWLI, DFWLKI series Dini Argeo indicators and AFW series Scale House indicators.

Floor columns		
	Code	Description
	KWR10	Kit of 4 rubber wheels and galvanized steel frame for CSP column. A pair of idler wheels and a pair with brakes.
	<u>CSP38I-1</u>	Stainless steel column 450x450mm, h=917mm, Ø 38mm. For the indicators of the DINI ARGEO and SCALE HOUSE range.
	<u>CSP38</u>	Stainless steel column 450x450mm, h=917, Ø 38mm. Painted steel base. For the indicators of the DINI ARGEO and SCALE HOUSE range.
	<u>CSP38D</u>	Stainless steel column 350x350mm, h=750mm. Painted steel base. For the indicators of the DINI ARGEO and SCALE HOUSE range.