




"T" SERIES - SINGLE CELL PLATFORMS



Small and medium capacity electronic platforms with a AISI304 stainless steel surface having a precise and sturdy structure, suitable for creating scales and automatic weight checking systems for all industrial and commercial applications. Standard version is with approved load cell.



MAIN FEATURES

- Functions with an approved aluminium “single point” load cell according to OIML R60 standards with protection against dust and water splashes according to IP65 standards (350 Ohm input resistance).
- Steel tubular structure, oven-fire painted blue, with adjustable resting feet and level.
- Fitted with satined AISI 304 stainless steel loading surface.
- Up to 15 Vdc power supply.
- Shielded 3m connection cable with connectors for connection to the indicator.

OPTIONS ONLY AVAILABLE AT TIME OF ORDER

- Connection to the indicator and calibration
- CE-M 3000e or 3000+3000e approval.
- CE-M 6000e or 6000+6000e approval.
- High resolution models for internal factory use.

OPTIONS FOR ATEX VERSION

- CCATEX: ATEX certificate for each load cell
- DCATEX2GD: Declaration of ATEX conformity of whole PLATFORM + ATEX 2GD DINI ARGEO INDICATOR
- DCATEX3GD: Declaration of ATEX conformity of whole PLATFORM + ATEX 3GD DINI ARGEO INDICATOR

ACCESSORIES

- Indicator support column.
- Steel carts.
- Raising frames.
- Belt and roller units to be applied on the loading surface (upon estimate).
- Special sizes and capacities (upon estimate).



Available versions

Code	l x w x h (mm)	Max (kg)	d (g)	d* HR (g)	CE-M* 3000e (g)	CE-M* 2x3000e (g)	CE-M* 6000e (g)	CE-M* 2x6000e (g)
TS3	230x330x93	3	0,5	0,1	1	--	--	--
TS6	230x330x93	6	1	0,2	2	1-2	--	--
TS15	230x330x93	15	2	0,5	5	2-5	--	--
TT6	330x330x93	6	1	0,2	2	1-2	1	--
TT15	330x330x93	15	2	0,5	5	2-5	--	--
TT30	330x330x93	30	5	1	10	5-10	5	2-5
TQ15	400x400x110	15	2	0,5	5	2- 5	--	--
TQ30	400x400x110	30	5	1	10	5-10	5	2-5
TQ60	400x400x110	60	10	2	20	10-20	--	--
TQ150	400x400x110	150	20	5	50	20-50	--	--
TM30	400x500x110	30	5	1	10	5-10	--	--
TM60	400x500x110	60	10	2	20	10-20	--	--
TM150	400x500x110	150	20	5	50	20-50	--	--
TC30	500x500x110	30	5	1	10	5-10	--	--
TC60	500x500x110	60	10	2	20	10-20	--	--
TC150	500x500x110	150	20	5	50	20-50	--	--
TL60	500x600x132	60	10	2	20	10-20	--	--
TL150	500x600x132	150	20	5	50	20-50	--	--
TL300	500x600x132	300	50	10	100	50-100	--	--
TX60	600x600x132	60	10	2	20	10-20	--	--
TX150	600x600x132	150	20	5	50	20-50	--	--
TX300	600x600x132	300	50	10	100	50-100	--	--
TG150	700x700x145	150	20	5	50	--	--	--
TG300	700x700x145	300	50	10	100	50-100	--	--
TG600	700x700x145	600	100	20	200	100-200	--	--

(*) These divisions are obtainable only with the relative options.